



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/507,215

09/16/2004

Inger-Margrethe Procida

P70074US0

5563

136 7590 10/15/2008

JACOBSON HOLMAN PLLC
400 SEVENTH STREET N.W.
SUITE 600
WASHINGTON, DC 20004

EXAMINER

WOLLSCHLAGER, JEFFREY MICHAEL

ART UNIT

PAPER NUMBER

1791

MAIL DATE

DELIVERY MODE

10/15/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/507,215	Applicant(s) PROCIDA, INGER-MARGRETHE	
	Examiner JEFFREY WOLLSCHLAGER	Art Unit 1791	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 24 June 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 42-117 is/are pending in the application.
- 4a) Of the above claim(s) 51,52,54,95-99,108,109 and 112-116 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 42-50,53,55-94,100-107,110, 111 and 117 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Art Unit: 1791

DETAILED ACTION

Response to Amendment

Applicant's amendment to the claims filed June 24, 2008 has been entered. Claims 47-50, 93, 94, 107 and 110 are currently amended. Claim 117 is new. Applicant's amendment has overcome the 35 USC 112, second paragraph rejection. The examiner notes that claim 109 remains withdrawn from further consideration (see June 24, 2008 restriction requirement).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 42-48, 53, 55-93, 100-106 and 117 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sjoberg et al. (US 6,106,761) in view of Hardy et al. (US 5,918,641) and either of Hirokazu et al. (US 3,513,228) or Kent (US 2,528,523).

Regarding claims 42, 46, 53, Sjoberg et al. teach the basic claimed process of producing a pipe/tube comprising extruding a mixture of polyethylene and a peroxide for crosslinking the polymer mixture (col. 4, lines 8-67) in a contact-less manner with infrared radiation (col. 1, lines 6-15; Figure 1). The process of Sjoberg et al. allows for extrusion of pipes/tubes without deformation or local thickening due to the short crosslinking zone (col. 3, lines 9-42; col. 5, line 60-col. 6, line 62). While Sjoberg et al. imply no cross-linking takes place in the extruder (i.e. extruded at a temperature below the activation/decomposition temperature of the peroxide), they do not expressly state it. However, each of Hirokazu et al. (col. 3, lines 18-50; col. 4, lines 54-61) and Kent (col. 1, lines 44-col. 2, lines 38) teach that it is known and desirable in the art of

Art Unit: 1791

crosslinking extruded materials to ensure the crosslinking does not happen in the extruder.

Additionally, Sjoberg et al. do not teach the pipe/tube is employed in a flexible offshore pipe.

However, Hardy et al. teach that it is known to employ crosslinked polyethylene as a layer in a flexible offshore pipe.

Therefore it would have been *prima facie* obvious to one having ordinary skill in the art at the time of the claimed invention to have modified the teaching of Sjoberg et al. and to have ensured that no cross-linking takes place in the extruder (i.e. extruded at a temperature below the activation/decomposition temperature of the peroxide) as suggested by either of Hirokazu et al. or Kent, for the purpose, of producing a tube/pipe with a smooth surface and that flows smoothly through the cross-head/die (Hirokazu et al.: col. 3, lines 18-50; col. 4, lines 54-61 and Kent (col. 1, lines 44-col. 2, lines 38).

Additionally, it would have been obvious to one having ordinary skill at the time of the claimed invention to have employed the method of Sjoberg et al. for producing a crosslinked polyethylene tube/pipe and to have utilized it as a layer in a flexible offshore pipe as suggested by Hardy et al. for the purpose of producing a flexible pipe having a suitable structure (e.g. a crosslinked PE layer for a flexible offshore pipe) in a simple and efficient manner (e.g. Sjoberg et al.'s method of using infrared radiation that allows for a small crosslinking zone which minimizes deformation or local thickening of the tube/pipe, col. 3, lines 36-42).

As to claims 43 and 69, Kent discloses extruding at a temperature of 110 °C – 180 °C and an activation temperature of 180 °C - 250 °C (col. 2, lines 13-20).

As to claim 44, Sjoberg et al. disclose extruding onto a core/supporting unit (col. 7, lines 50-62; col. 6, lines 25-36).

As to claim 45, Sjoberg et al. disclose that an outer support is not needed by the process. Accordingly, this implies that one may be employed if desired for additional support.

Art Unit: 1791

(col. 6, lines 25-36). Further, the examiner notes that the instant disclosure (US 2005/0221033) acknowledges that such a calibrator is known in the art of extruding liners (paragraph [0057]).

As to claims 47, 48, 90, 91 and 117, Sjoberg et al. immediately move the extruded polymer to the infrared zone (Figure 1). It follows that minimum cooling of the tube occurs and minimum time has elapsed.

As to claims 55-58, Hardy et al. disclose the suitable densities for a crosslinked polyethylene offshore lining (col. 4, lines 28-33; col. 13, lines 38-44).

As to claims 59 and 60, Sjoberg et al. disclose the polymer is polyethylene (col. 4, lines 8-12) and employ about 0.5% peroxide in one embodiment (col. 6, lines 36-62).

As to claims 61-64, Sjoberg et al. do not expressly discuss employment of other additives or fillers. However, the claims recite "up to about" a weight percentage. This includes 0% of these materials. Further, one having ordinary skill would have readily determined what type and amount of fillers, additives or copolymers to employ in the process to achieve desired properties as is routinely practiced and well-known in the pipe/tube extrusion art.

As to claims 65-68 and 70, Sjoberg et al. disclose 0.5% ditert-butyl peroxide (col. 6, lines 56).

As to claims 71-77, Sjoberg et al. disclose employment of infrared radiation at a wavelength of 1.2 um. Additionally, they suggest avoiding the wavelengths of 3.2 – 3.6 um and 6.7 - 6.9 um, but suggest that the other wavelengths within the range of 2 - 10 um may be employed (col. 5, lines 60- col. 6, line– 24).

As to claims 78-81, Sjoberb et al. suggest minimizing the absorption of energy into the polymer by avoiding the wavelengths of 3.2 - 3.6 um and 6.7 - 6.9 um. However, as shown in Figure 4, there are smaller absorption peaks at other wavelengths within the claimed ranges of 0.5 - 10 um, 1 - 7 um, and 3 - 7 um that are not excluded from the teaching of Sjoberg et al.

Art Unit: 1791

As to claims 82 and 83, Sjoberg et al. teach that a certain overpressure in the tube is employed as is routinely practiced in the art (col. 4, lines 27-33). As to the precise pressure, one having ordinary skill would have readily determined the required pressure to ensure minimal bubble formation. Additionally, Hirokazu employ an overpressure of nitrogen to prevent foaming (col. 1, lines 62- col. 2, lines 6).

As to claims 84 and 85, Sjoberg et al. disclose the time in the crosslinking zone is short (col. 3, lines 36-44). Additionally, Hirokazu et al. disclose crosslinking times of two minutes (col. 2, lines 36-50).

As to claims 86 and 87, Kent discloses heating to a temperature of 180 °C - 250 °C (col. 2, lines 13-20) and Hirokazu et al. disclose a temperature of 200 °C – 300 °C (col. 1, lines 48-61).

As to claims 88 and 89, Sjoberg et al. disclose a desirable range of 70-90% crosslinking and exemplify 76 and 78% (col. 6, lines 55-61).

As to claim 92, the material is cooled to ambient temperature after the process (Figure 1).

As to claim 93, Sjoberg et al. disclose extruding onto a metallic core (col. 7, lines 39-62).

As to claim 100, Sjoberg et al. do not substantially change the velocity of their material during the processing (Figure 1).

As to claim 101-105, Hardy et al. exemplify a wall thickness of 10 mm (Example 2) and further suggest thicknesses greater than 12 mm (col. 8, lines 40-65). Additionally, based upon the simple and efficient method of Sjoberg et al. compared to the prior art method discussed by Hardy et al. one having ordinary skill would have readily determined and optimized the size of the thickness of the tube to a desired final thickness. One having ordinary skill would have had

Art Unit: 1791

a reasonable expectation of success of producing a wall of such as thickness by the method of Sjoberg et al.

As to claim 106, the combination suggests the method of the production of an offshore pipe as claimed.

Claims 49, 50, 94, 107, 110 and 111 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sjoberg et al. (US 6,106,761) in view of Hardy et al. (US 5,918,641) and either of Hirokazu et al. (US 3,513,228) or Kent (US 2,528,523), as applied to claims 42-48, 53, 55-93, and 100-106 above, and further in view of Procida et al. (WO 99/67560).

Note: Citations to Procida et al. are from the US equivalent document US 2001/0021426.

As to claims 49, 50, 94, 107, 110 and 111, the combination teaches the method set forth above. While Sjoberg et al. do teach coextruding a plurality of layers to the inside or outside of the polyethylene tube layer, as needed, with another polymer, Sjoberg et al. do not teach extruding directly onto a reinforcement layer of the offshore pipe. However, Procida et al. teach a method of extruding directly onto the carcass of an offshore pipe (Example 1). Additionally, Procida et al. teach employment of a gas permeation barrier layer to improve the barrier properties of the pipe.

Therefore it would have been *prima facie* obvious to one having ordinary skill in the art at the time of the claimed invention to have extruded the layer of Sjoberg et al. onto a reinforcing layer/carcass as set forth by Procida et al. for the purpose of expediting the manufacturing process as is routinely practiced in the art. Further, it would have been obvious to one having ordinary skill at the time of the claimed invention to have employed a barrier layer in the offshore

Art Unit: 1791

pipe as suggested by Procida et al. for the purpose of improving the barrier properties of the pipe as is routinely practiced in the art.

Claims 78-81 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sjoberg et al. (US 6,106,761) in view of Hardy et al. (US 5,918,641) and either of Hirokazu et al. (US 3,513,228) or Kent (US 2,528,523), as applied to claims 42-48, 53, 55-93, and 100-106 above, and further in view of Heino (WO 01/00381). *Note: This is an alternative rejection to the rejection of claims 78-81 above.*

Note: all citations to Heino are from the US equivalent document: US 6,797,741.

As to claims 78-81, the combination teaches the method set forth above. Additionally, Heino discloses a method of crosslinking polyethylene with infrared radiation wherein the suitable wavelength is given to be 5.0 micrometers to 1.2 micrometers (col. 4, lines 7-61) and further notes that the wavelength to be employed is readily optimized (col. 3, lines 55-60).

Therefore it would have been *prima facie* obvious to one having ordinary skill in the art at the time of the claimed invention to have optimized the wavelength of infrared radiation employed to crosslink the polyethylene of Sjoberg as suggested by Heino within values of the ranges set forth in claims 79-81.

Response to Arguments

Applicant's arguments filed June 24, 2008 have been fully considered, but they are not persuasive. In general, as an initial matter, the examiner notes that several of applicant's arguments are not commensurate in scope with the language of claim 42. For example, applicant argues that the wavelengths of radiation employed by Sjoberg et al. are different than those employed by the applicant. The examiner notes that such a limitation is not employed in

Art Unit: 1791

claim 42. Further, the examiner maintains the rejection of dependent claims 71-81 as set forth in the office action. Additionally, applicant argues that Hardy et al. teach away from the claimed invention. This argument is not persuasive. The examiner notes that Sjoberg et al. is employed as the primary reference teaching the basic claimed process whereas Hardy is a secondary reference. Further, the examiner notes that as currently presented in claim 42, the claim does not positively require placing the polymer layer into an unbonded offshore pipe. The argued limitation is only in the preamble. While the examiner submits that the rejection would be maintained should the limitation be placed in the body of the claim, the examiner notes that the argument is not fully commensurate in scope with the positive limitations set forth in the claim. Additionally, applicant argues that applicant's pipe range up to 18 millimeters in thickness. This argument is not persuasive. The examiner notes that such a limitation is not set forth in claim 42. Further, applicant maintains the rejection of claims 101-105 as set forth in the office action. Applicant argues that one having ordinary skill would not have had a reasonable expectation of success when practicing the suggested combination due to the differences in employed wavelength and wall thickness. This argument is not persuasive. The examiner notes the wavelengths are not set forth in claim 42 and further the wavelengths and further notes that claimed wavelengths are met by the prior art as set forth in the rejection of claims 71-81. Additionally, wall thickness is not set forth in claim 42 and the prior art teaches and suggests the wall thicknesses set forth in claims 101-105. The examiner submits that the scope of claim 42 is substantially broader than that which has been suggested by the arguments (e.g. no wavelength claimed, no wall thickness claimed no positive requirement for placing the polymer layer in an unbonded offshore pipe). The examiner submits that the claims would need to be amended to overcome the rejection.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JEFFREY WOLLSCHLAGER whose telephone number is (571)272-8937. The examiner can normally be reached on Monday - Thursday 6:45 - 4:15, alternating Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christina Johnson can be reached on 571-272-1176. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1791

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/J. W./
Examiner, Art Unit 1791

October 15, 2008

/Monica A Huson/
Primary Examiner, Art Unit 1791